

**AMENDMENTS TO THE CLAIMS**

Please amend claims 1, 4, 5, 11, and 26 as set forth below; and cancel claims 3, 36, and 41. This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently amended) A method comprising:  
displaying a first content on a flat display surface within a spherical display;  
capturing the first content with a content capturing device;  
simultaneously displaying a second content on a physical spherical display surface within the spherical display, the spherical display being disposed in a housing in direct physical communication with the content capturing device; and  
scrolling through the second content based on instructions while displaying the first content,  
wherein the spherical display surface is imposed over the flat display surface such that the first content and the second content are distinctly and simultaneously viewed.
2. (Original) The method according to claim 1 further comprising storing the first content and the second content in a storage device.
3. (Cancelled)
4. (Currently amended) The method according to claim 3 ~~3~~ 1 wherein the content capturing device is a video camera.
5. (Currently amended) The method according to claim 3 ~~3~~ 1 wherein the content capturing device is a digital camera.
6. (Original) The method according to claim 1 wherein the first content is one of a video stream and digital image.

7. (Original) The method, according to claim 1 wherein the instructions are based on rotating a playback ring to scroll through the second content.
8. (Original) The method according to claim 1 wherein the instructions are based on rotating a knob to scroll through the second content.
9. (Previously presented) The method according to claim 1 wherein the second comprises content menu information.
10. (Original) The method according to claim 1 wherein the spherical display surface displays the second content in a three dimensional viewpoint.
11. (Currently amended) A system comprising:  
means for displaying a first content on a flat display surface within a spherical display;  
means for capturing the first content with a content capturing device;  
means for simultaneously displaying a second content on a physical spherical display surface within the spherical display, the spherical display being disposed in a housing in direct physical communication with the content capturing device; and  
means for scrolling through the second content based on instructions while displaying the first content, wherein the spherical display surface is imposed over the flat display surface such that the first content and the second content are distinctly and simultaneously viewed.
- 12-25. (cancelled)
26. (Currently amended) A device, comprising:  
with a content capturing device for capturing the first content with a content capturing device;  
a physical spherical display for simultaneously displaying a video stream and menu information wherein the spherical display further comprises a flat display surface for the video stream and a spherical display surface for the menu information, the spherical display

being disposed in a housing in direct physical communication with the content capturing device;

- a playback ring for scrolling through the menu information; and
- a storage module to store the video stream and the menu information.

27. (Original) The device according to claim 26 wherein the spherical display shows the menu information with a three dimensional effect to distinguish from the video stream.

28. (Original) The device according to claim 26 wherein the menu information is shown overlaid on top of the video stream.

29. (Cancelled)

30. (Previously presented) The method according to claim 1 wherein the spherical display is semi-spherically shaped and wherein the spherical display surface substantially spans the semi-spherical shape of the spherical display and the flat display surface is coupled to the spherical display surface and spans a diameter of the spherical display surface.

31. (Cancelled)

32. (Previously presented) The method according to claim 1 wherein the scrolling further comprises controlling at least one of a direction and speed of a playback of the first content.

33. (Previously presented) The method according to claim 1 wherein the spherical display is configured to simultaneously display multiple video feeds.

34. (Previously presented) The method according to claim 1 wherein the spherical display is configured to apply special effects to a portion of the first content, wherein the special effects comprises at least one of sepia tone, black and white tone and slow shutter effect.

35. (Previously presented) The system according to claim 11 wherein the spherical display is semi-spherically shaped and wherein the spherical display surface substantially spans the semi-spherical shape of the spherical display and the flat display surface is coupled to the spherical display surface and spans a diameter of the spherical display surface.

36. (Cancelled)

37. (Previously presented) The system according to claim 11 wherein the means for scrolling is further configured to control at least one of a direction and speed of the playback of the content.

38. (Previously presented) The system according to claim 11 wherein the spherical display is configured to simultaneously display multiple video feeds.

39. (Previously presented) The system according to claim 11 wherein means for simultaneously displaying the second content is further configured to apply special effects to a portion of the first content, wherein the special effects comprises at least one of sepia tone, black and white tone and slow shutter effect.

40. (Previously presented) The device according to claim 26 wherein the spherical display is semi-spherically shaped and wherein the spherical display surface substantially spans the semi-spherical shape of the spherical display and the flat display surface is coupled to the spherical display surface and spans a diameter of the spherical display surface.

41. (Cancelled)

42. (Previously presented) The device according to claim 26 wherein the playback ring is further configured to control at least one of a direction and speed of the playback of the video stream.

43. (Previously presented) The device according to claim 26 wherein the spherical display is configured to simultaneously display multiple video streams.

44. (Previously presented) The method according to claim 26 wherein the spherical display is configured to apply special effects to a portion of the video stream, wherein the special effects comprises at least one of sepia tone, black and white tone and slow shutter effect.